



TC3

SETUP SHEET Team Associated
RC10TC3 4WD Touring Car

Driver: CAGI

Track/City: Ampuis, Ligue 09

Event: Ligue/Région Date: 03/06/2001

FRONT SUSPENSION

CASTER 0° 2° 4° ANTI-ROLL BAR: None Size: _____

KICKUP 0° 2° -2°

TOE-IN _____° TOE-OUT 0.5°

CAMBER 1°

RIDE HEIGHT



5 à 6mm
suivant état piste

BUMP
STEER

0



ACKERMAN SETTING

Std Other: _____

Ball end: _____

Spacer: _____



FRONT SHOCKS

BODY Composite Alum.

SHAFT Std Other: _____

LIMITERS:

Inside: 6

Outside: O-Ring

PISTON # 2

OIL 50 WT

SPRING Blue

4.65mm de cales

SHOCK MOUNT &
CAMBER LINK
Fill in holes used



REAR SUSPENSION

ANTI-SQUAT 0° 2°

ANTI-ROLL BAR: None Size: Std

TOE-IN 3° Other: 2°

CAMBER: 1.5-2°

RIDE HEIGHT



5 à 6mm
suivant état piste

Suivant état piste

WHEELBASE
ADJUSTMENT

FRONT Short



Medium



Long



REAR SHOCKS

BODY Composite Alum.

SHAFT Std Other: _____

LIMITERS:

Inside: 2

Outside: O-Ring

PISTON # 2

OIL 40 WT

SPRING Silver

5.65mm de cales

SHOCK MOUNT &
CAMBER LINK
Fill in holes used



OTHER

FRONT TIRES: Pit Shimizu Compound: D25 Insert: CS Green Wheel: OFNA 7 bâtons 24mm

REAR TIRES: Pit Shimizu Compound: D25 Insert: CS Green Wheel: OFNA 7 bâtons 24mm

BATTERY PLACEMENT Back Front Other: _____ BATTERY TYPE: Sanyo RC2400

CHASSIS Std Carbon Fiber FRONT/REAR DRIVE Std One-way SPUR/PINION 72 T / 23 T

MOTOR GM Evo III 11*3 BRUSH Reedy 737 SPRING Orion 135°


RADIO Futaba Megatech PCM SERVO KO 2015 FET ESC Novak Cyclone

BODY Protoform Stratus WING Std

TIRE ADDITIVE _____ LEAD WEIGHTS 15g (oz/gm) Indicate location:

None None

SPONSORED BY: _____



X puce

X 15g

TRACK CONDITIONS

SURFACE: Smooth Bumpy

TRACTION: Low Med. High

COMPOSITION:

Concrete Asphalt Carpet Other: _____

NOTES: Très grande piste, gourmande en moteur et accus,
Pluvieux le matin, puis chaud l'après-midi.

RACE COMMENTS

MAIN A FINISH _____ QUALIFYING POS. _____

NOTES: _____

CAR COMMENTS

NOTES: Excellent comportement du châssis, mais
manque de vitesse de pointe